	Application No.	Applicant(s)	حر
Notice of Allowability	09/933,198	HIBI, TAKETOSHI	ر کے
	Examiner	Art Unit	
	Trang U. Tran	2614	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>August 12, 2004</u> .			
2. The allowed claim(s) is/are <u>1-39</u> .			
3. The drawings filed on <u>21 August 2001</u> are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 			
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	E Nation of Information	etent Application /DT/) 152\
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal F 6. ☐ Interview Summary		J 102)
	Paper No./Mail Da	te	
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. Examiner's Amendi	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material	9. Other		

Application/Control Number: 09/933,198

Art Unit: 2614

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

Claims 1-10 are directed to an image projection apparatus. Each independent claims 1 and 9 identifies the uniquely distinct features: "means for guiding the light having passed through the sequential color selecting means and said white light to said spatial light modulator; and means for adjusting the temporal average intensity of the white light; wherein said spatial light modulator spatially modulates the light having passed through the sequential color selecting means and the white light with its temporal average intensity having adjusted, to generate image light". All the references of record, either singularly or in combination, fail to anticipate or render the above underlined limitation obvious.

Claims 11-28 are directed to an image projection apparatus. The independent claim 11 identifies the uniquely distinct features: "a light intensity adjuster configured to dynamically adjust an intensity of the reflected light as an intensity adjusted light; and a spatial light modulator configured to spatially modulate the passed-thru light and the intensity adjusted light to generate an image light". All the references of record, either singularly or in combination, fail to anticipate or render the above underlined limitation obvious.

Claims 29-39 allowable for the same reason as discussed in the last Office Action.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 09/933,198

Art Unit: 2614

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trang U. Tran whose telephone number is (703) 305-0090. The examiner can normally be reached on 8:00 AM - 5:30 PM, Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John W. Miller can be reached on (703) 305-4795. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TT TT October 12, 2004

JOHN MILLER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600